

Coding Guidelines for Preventive Care Services Commercial (Non-Medicare) Kaiser Permanente Plans

EXPLANATION:

In accordance with the Patient Protection and Affordable Care Act (commonly referred to as federal health care reform), Kaiser Foundation Health Plan of Washington is required to provide 100% coverage for preventive care services when services are rendered by a provider in the member's plan network. Please check the member's Evidence of Coverage for coverage details. "Grandfathered" and PPACA exempt groups are not subject to this requirement, but many of these groups have opted to cover preventive services with no cost share.

This means that members will have no cost shares when preventive services are rendered by an in-network provider. **Non-preventive services received in conjunction with a preventive service visit may be subject to member cost shares.** Plan authorization requirements must still be met for services that require prior authorization.

Except for mammography, many Kaiser Foundation Health Plan of Washington Options, Inc. point-of-service (POS) and preferred provider organization (PPO) plans do not cover preventive care out-of-network. Members should check their Evidence of Coverage to confirm coverage on their specific plan. Out-of-network screening mammography is covered at the same benefit level as any other covered out-of-network service, unless stated otherwise in the benefit booklet.

If a non-preventive service is performed during a preventive care visit, applicable member cost shares apply.

Preventive services identified in these guidelines are based on recommendations from:

- Items designated by the [US Preventive Services Task Force as Grade A or Grade B Recommendations](#) (Health plans have one year to implement each new recommendation)
- Items designated as preventive by the Bright Futures program of the American Academy of Pediatrics
 - Note: If a child comes under care for the first time at any point on the schedule, or if any items are not accomplished at the suggested age, the schedule should be brought up to date at the earliest possible time.
- Advisory Committee on Immunization Practices (ACIP) as recommendations adopted by the Director of the Center for Disease Control and Prevention (CDC)
- Health Resources and Services Administration (HRSA)
- State and Federal (HHS) laws that require certain additional services be considered preventive for certain populations
- Kaiser Foundation Health Plan of Washington and Kaiser Foundation Health Plan of Washington Options, Inc.

APPLICABILITY:

All non-Medicare, non-grandfathered Kaiser Foundation Health Plan of Washington and Kaiser Foundation Health Plan of Washington Options, Inc. plans. For Self-Funded plans, refer to the plan document.

***GENERAL:**

CPT	Diagnosis codes
99202 - 99215 99417 G2122 97802 - 97804 99241 - 99245 Or if specified below	<p>In certain circumstances as identified on the chart below, modifier 33 can be added to this code series to designate that the visit falls under an ACA preventive care requirement. This modifier should only be used in circumstances where preventive coverage is mandated by the ACA or other regulation and no other appropriate code set designates the service as preventive.</p> <p>In cases where preventive services are provided on the same day as medical services, those services may be included in the medical office visit code (when minor additional work is performed) or separately billed using the appropriate preventive services code(s). Documentation should clearly support both services if both services are billed.</p>

Commercial Preventive Care Services			
Topic	Procedure codes	Diagnosis codes	Comment
Breast Cancer Screening for Average-Risk Women - Mammogram	77063, 77067	Payable as preventive regardless of medical diagnosis code.	HRSA The Women's Preventive Services Initiative recommends that average-risk women initiate mammography screening no earlier than age 40 and no later than age 50. Screening mammography should occur at least biennially and as frequently as annually. Screening should continue through at least age 74 and age

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
			<p>alone should not be the basis to discontinue screening.</p> <p>These screening recommendations are for women at average risk of breast cancer. Women at increased risk should also undergo periodic mammography screening, however, recommendations for additional services are beyond the scope of this recommendation.</p> <p>Effective Date: December 20, 2017</p> <p>The USPSTF recommends biennial screening mammography for women aged 50 to 74 years. Release Date: January 2016</p>
Chlamydia screening	86631, 86632, 87110, 87270, 87320, 87490, 87491, 87492, 87810	Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z11.3, Z11.8, Z12.4, Z12.72, Z20.2, Z72.51, Z72.52, Z72.53, O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.291, O09.292, O09.293, O09.299, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611,	<p>The USPSTF recommends screening for chlamydia in all sexually active women 24 years or younger and in women 25 years or older who are at increased risk for infection. (September 2014)</p> <p>Kaiser Foundation Health Plan of Washington and Kaiser Foundation Health Plan of Washington Options, Inc.</p>

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, O09.A0, O09.A1, O09.A2, O09.A3, O36.80X0, O36.80X1, O36.80X2, O36.80X3, O36.80X4, O36.80X5, O36.80X9, Z33.1, Z33.3, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93	
Colorectal Cancer Screening Includes: <ul style="list-style-type: none"> • Evaluation and Management • Outpatient Consultation • Pathology • Anesthesia • Fecal Occult Blood Test (FOBT)/ fecal immunochemical test (FIT) • Screening colonoscopy 	44388, 44389, 44392, 44401, 45300, 45305, 45308, 45309, 45315, 45320, 45330, 45331, 45333, 45338, 45346, 45378, 45380, 45381, 45382, 45384, 45385, 45388, 45390	Billed with modifier 33 or PT	The USPSTF expanded the recommended ages for colorectal cancer screening to 45 to 75 years (previously, it was 50 to 75 years). The USPSTF continues to recommend selectively screening adults aged 76 to 85 years for colorectal cancer. Grade: B Recommendation Release: May 18, 2021

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
<ul style="list-style-type: none"> • Flexible Sigmoidoscopy • Protosigmoidoscopy • Conscious Sedation 	44394, 74263, 81528, 82270, G0104, G0105, G0106, G0120, G0121, G0122, G0327, G0328, S0285, 00812	Payable as preventive regardless of medical diagnosis code.	
	88304, 88305, 99151, 99152, 99153, 99155, 99156, 99157, 99242, 99243, 99244, 99245, 82274, G0500	Billed with modifier 33	
	45388	45388 billed with: R19.5-Any position, Z00.00, Z00.01, Z01.411, Z01.419, Z12.10, Z12.11, Z12.12, Z12.13, Z80.0, Z82.71, Z83.710, Z83.711, Z83.718, Z83.719, Z85.038, Z85.048, Z86.010, Z87.19	
	45300, 45305, 45308, 45309, 45315, 45320, 45330, 45331, 45333, 45338, 45346	45300, 45305, 45308, 45309, 45315, 45320, 45330, 45331, 45333, 45338, and 45346 billed with: R19.5-Any position,	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		Z00.00, Z00.01, Z01.411, Z01.419, Z12.10, Z12.11, Z12.12, Z12.13, Z80.0, Z83.710, Z83.711, Z83.718, Z83.719, Z85.00, Z85.038, Z85.048, Z86.010, Z87.19	
	44388, 45380, 45381, 45382, 45384, 45385, 45390, 74261, 74262	44388, 45380, 45381, 45382, 45384, 45385, 45390, 74261 and 74262 billed with: R19.5 – Any position, Z00.00, Z00.01, Z01.411, Z01.419, Z12.10, Z12.11, Z12.12, Z12.13, Z80.0, Z83.710, Z83.711, Z83.718, Z83.719, Z85.038, Z85.048, Z86.010, Z87.19	
	G6022	G6022 billed with: R19.5 - Any position, Z00.00, Z00.01, Z01.411, Z01.419, Z12.10, Z12.11, Z12.12, Z12.13, Z80.0, Z85.00, Z85.038, Z85.048, Z86.010, Z87.19	
	45378, 82274, 88304, 88305, 99242, 99243, 99244, 99245	45378, 82274, 88304, 88305, 99242, 99243, 99244 and 99245 Billed with: R19.5 – Any position, Z00.00, Z00.01, Z01.411, Z01.419, Z12.10, Z12.11, Z12.12, Z12.13,	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
	<p>44389, 44392, 44394, 44401</p> <p>99151, 99152, 99153, 99155, 99156, 99157, G0500</p> <p>99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99417, G2212</p>	<p>Z83.710, Z83.711, Z83.718, Z83.719, Z85.038, Z85.048, Z86.010</p> <p>44389, 44392, 44394 and 44401 billed with: R19.5- Any position, Z00.00, Z00.01, Z01.411, Z01.419, Z12.10, Z12.11, Z12.12, Z12.13, Z83.710, Z83.711, Z83.718, Z83.719, Z85.038, Z85.048, Z86.010, Z87.19</p> <p>99151, 99152, 99153, 99155, 99156, 99157 and G0500 billed with: R19.5 – Any position, Z12.10, Z12.11, Z12.12, Z12.13, Z80.0, Z83.710, Z83.711, Z83.718, Z83.719, Z85.00, Z85.038, Z85.048, Z86.010, Z87.19</p> <p>R19.5, Z12.10, Z12.11, Z12.12, Z12.13, Z80.0, Z83.710, Z83.711, Z83.718, Z83.719, Z85.00, Z85.038, Z85.048, Z86.010</p>	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
	<p>00811</p> <p>Bowl Prep Medication:</p>	<p>00811 billed with modifier PT or: Z00.00, Z00.01, Z01.411, Z01.419, Z12.10, Z12.11, Z12.12, Z12.13, R19.5 - in any position, Z86.010, Z80.0, Z85.00, Z85.038, Z85.048, Z83.710, Z83.711, Z83.718, Z83.719, Z87.19</p> <p>Bowl Prep Medication: No codes, this is an Over-the-Counter prescription.</p>	
Alcohol Misuse Screening and Behavior Counseling	99401, 99402, 99403, 99404, 99408, 99409, 99411, 99412, G2011, G0396, G0397, G0442, G0443, H0005	Payable as preventive regardless of medical diagnosis code.	The USPSTF recommends screening for unhealthy alcohol use in primary care settings in adults 18 years or older, including pregnant women, and providing persons engaged in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealthy alcohol use. (November 2018)
Human Immunodeficiency Virus (HIV) Infection, Screening	86701, 86702, 86703, 86689, S3645, G0432, G0433, G0435, 87389, G0475	Payable as preventive regardless of medical diagnosis code.	Bright Futures/American Academy Pediatrics: The adolescence age range for HIV screening is now between 15 years to 21 years of age. Footnote: "Screen adolescents for HIV at least once between

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
			<p>the ages of 15 and 21 making every effort to preserve confidentiality of the adolescent, as per "Human Immunodeficiency Virus (HIV) Infection: Screening." (January 2023)</p> <p>The USPSTF recommends that clinicians screen for HIV infection in adolescents and adults aged 15 to 65 years. Younger adolescents and older adults who are at increased risk of infection should also be screened. (June 2019)</p>
Gonorrhea Screening	87590, 87591, 87592, 87850	O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.291, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93 O36.80X0, O36.80X1, O36.80X2, O36.80X3,	<p>The USPSTF recommends screening for gonorrhea in all sexually active women 24 years or younger and in women 25 years or older who are at increased risk for infection. (September 2014)</p> <p>Kaiser Foundation Health Plan of Washington and Kaiser Foundation Health Plan of Washington Options, Inc.</p>

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		O36.80X4, O36.80X5, O36.80X9, Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z11.3, Z11.8, Z12.4, Z12.72, Z20.2, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, 009.40, 009.41, 009.42, 009.43, Z01.411, Z01.419, O09.211, O09.212, O09.213, O09.219, O09.292, O09.293, O09.299, O09.30 O09.31, O09.32, O09.33, O09.A0, O09.A1, O09.A2, O09.A3, Z33.1, Z33.3	
Osteoporosis Screening	77078, 77080, 77081, 76977, 78350, 78351, G0130	Z00.00, Z00.01, Z01.411, Z01.419, Z13.820, Z82.62, Z78.0	The USPSTF recommends screening for osteoporosis with bone measurement testing to prevent osteoporotic fractures in women 65 years and older. The USPSTF recommends screening for osteoporosis with bone measurement testing to prevent osteoporotic fractures in postmenopausal women younger than 65 years who are at increased risk of osteoporosis, as determined by a formal clinical risk assessment tool. (June 2018)

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Phenylketonuria Screening, Newborns	84030, 84035, S3620	Z00.110, Z00.111 Payable as preventive regardless of medical diagnosis code.	BRIGHT FUTURES: The Advisory Committee on Heritable Disorders in Newborns and Children (Committee) recommends that every newborn screening program include a Uniform Screening Panel that screens for 35 core disorders and 26 secondary disorders; they based the disorders' selection on the Newborn Screening: Towards a Uniform Screening Panel and System. Health Resources and Services Administration (HRSA)/Bright Futures March 15, 2008
Syphilis Infection Screening	86592, 86593, 86780	O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.291, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529,, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73 O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892,	The USPSTF recommends screening for syphilis infection in persons who are at increased risk for infection. (September 2022) The USPSTF recommends early screening for syphilis infection in all pregnant women. (September 2018)

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
	0064U, 0065U, 0210U	O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, O36.80X0, O36.80X1, O36.80X2, O36.80X3, O36.80X4, O36.80X5, O36.80X9, Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z11.3, Z11.8, Z12.4, Z12.72, Z20.2, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90 Z34.91, Z34.92, Z34.93, 009.40, 009.41, 009.42, 009.43, Z01.411, Z01.49, O09.211, O09.212, O09.213, O09.219, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, Z33.1, O09.A0, O09.A1, O09.A2, O09.A3, Z33.3 Z00.00, Z00.01, Z00.121, Z00.129	
Prediabetes and Type 2 Diabetes Mellitus in Adults, Screening	82947, 82948, 82950, 83036 99401,99402, 99403, 99404, 99411, 99412	Z00.00, Z00.01, Z01.411, Z01.419, Z13.1, E66.01, E66.09, E66.3, E66.8, E66.9, R73.03 R73.03	The USPSTF recommends screening for prediabetes and type 2 diabetes in adults aged 35 to 70 years who have overweight or obesity. Clinicians should offer or refer patients with prediabetes to effective preventive interventions. (October 2015)

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Tobacco Use and Tobacco-Caused Disease, Counseling	99406, 99407, G0436, G0437, S9453	Payable as preventive regardless of medical diagnosis code.	The USPSTF recommends that clinicians ask all adults about tobacco use, advise them to stop using tobacco, and provide behavioral interventions and U.S. Food and Drug Administration (FDA)–approved pharmacotherapy for cessation to adults who use tobacco. (September 2015)
Visual Impairment, Children	99172 99173, 99174, 99177	Z00.121, Z00.129 Z00.121, Z00.129, Z01.020, Z01.021	Bright Futures recommends Vision in Children Ages 6 Months to 5 Years. The USPSTF recommends vision screening at least once in all children ages 3 to 5 years to detect amblyopia or its risk factors. Recommendation: B (September 2017)
Abdominal Aortic Aneurysm Screening, Men	76775, 76700, 76705, 76770, 76706	F17.210, F17.211, F17.213, F17.218, F17.219, Z13.6, Z87.891	The USPSTF recommends one-time screening for abdominal aortic aneurysm by ultrasonography in men ages 65 to 75 years who have ever smoked. (June 2014)
Aspirin to Prevent Cardiovascular Disease and Colorectal Cancer			The USPSTF recommends initiating low-dose aspirin use for the primary prevention of cardiovascular disease (CVD) and colorectal cancer (CRC) in adults aged 50 to 59 years who have a 10% or greater 10-year

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
			CVD risk, are not at increased risk for bleeding, have a life expectancy of at least 10 years, and are willing to take low-dose aspirin daily for at least 10 years. (April 2016)
Asymptomatic Bacteriuria in Adults	87086, 87088, 81007	Payable as preventive with any pregnancy or maternity diagnosis.	The USPSTF recommends screening for asymptomatic bacteriuria with urine culture for pregnant women at 12 to 16 weeks' gestation or at their first prenatal visit, if later. (July 2008)
Breast and Ovarian Cancer Susceptibility, Genetic Risk Assessment and BRCA Mutation Testing	96040, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, S0265 99385, 99386, 99387, 99395, 99396, 99397 99417, G2212 81212, 81215, 81216, 81217,	Z71.89, Z85.819 Payable as preventive regardless of medical diagnosis code. If 99417 and G2212 is submitted: Z71.89 Payable as preventive regardless of medical	The USPSTF recommends that primary care providers screen women who have family members with breast, ovarian, tubal, or peritoneal cancer with 1 of several screening tools designed to identify a family history that may be associated with an increased risk for potentially harmful mutations in breast cancer susceptibility genes (<i>BRCA1</i> or <i>BRCA2</i>). Women with positive screening results should receive genetic counseling and, if indicated after counseling, BRCA testing. (December 2013)

Commercial Preventive Care Services			
Topic	Procedure codes	Diagnosis codes	Comment
	81162, 81163, 81164, 81165, 81166, 81167	diagnosis code.	
Congenital Hypothyroidism, Screening: Newborns	84443, 84436, 84437	Z00.110, Z00.111	BRIGHT FUTURES Congenital Hypothyroidism: Screening The Advisory Committee on Heritable Disorders in Newborns and Children (Committee) recommends that every newborn screening program include a Uniform Screening Panel that screens for 35 core disorders and 26 secondary disorders; they based the disorders' selection on the Newborn Screening: Towards a Uniform Screening Panel and System.
Depression and Suicide Risk in Adults: Screening	96127, 96160, 96161 G0444	Z00.121, Z00.129, Z13.31, Z13.32 If G0444 is submitted: Payable as preventive regardless of medical diagnosis code.	The USPSTF recommends screening for depression in the general adult population, including pregnant and postpartum women. Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up. (April 2018)
Screening Anxiety Disorders in Adults Inclusive of Annual well woman visit	96127, 96160, 96161	Z13.39	The USPSTF recommends screening for anxiety disorders in adults, including pregnant and postpartum persons. (June 2023) The Women's Preventive

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
			Services Initiative recommends screening for anxiety in adolescent and adult women, including those who are pregnant or postpartum. (Dec. 2019)
Behavioral Counseling Interventions to promote a Healthy Diet and Physical Activity for Cardiovascular (CVD) Prevention in Adults	97802 97803 97804 G0270 G0271 S9452 S9470	E08.00, E08.01, E08.10, E08.11, E08.21, E08.22, E08.29, E08.311, E08.319, E08.321, E08.329, E08.331, E08.339, E08.341, E08.349, E08.351, E08.359, E08.36, E08.39, E08.40, E08.41, E08.42, E08.43, E08.44, E08.49, E08.51, E08.52, E08.59, E08.610, E08.618, E08.620, E08.621, E08.628, E08.630, E08.638, E08.641, E08.649, E08.65, E08.69, E08.8, E08.9, E09.00, E09.01, E09.10, E09.11, E09.21, E09.22, E09.29, E09.311, E09.319, E09.321, E09.329, E09.331, E09.339, E09.341, E09.349, E09.351, E09.359, E09.36, E09.39, E09.40, E09.41, E09.42, E09.43, E09.44, E09.49, E09.51, E09.52, E09.59, E09.610,, E09.618, E09.620, E09.621, E09.628, E09.630, E09.638, E09.641, E09.649, E09.65, E09.69,	The USPSTF recommends offering or referring adults with cardiovascular disease risk factors to behavioral counseling interventions to promote a healthy diet and physical activity. Grade: B Rating Released: November 24, 2020 Diet, Behavioral Counseling in Primary Care to Promote a Healthy Adult patients with hyperlipidemia and other known risk factors for cardiovascular and diet-related chronic disease. Intensive counseling can be delivered by primary care clinicians or by referral to other specialists, such as nutritionists or dietitians.

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		E09.8, E09.9, E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.40, E10.40, E10.42, E10.43, E10.44, E10.49, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11.00, E11.01, E11.10, E11.21, E11.22, E11.29, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620, E11.621, E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, E13.00, E13.01, E13.10, E13.21, E13.22, E13.29, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349,	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		E13.351, E13.359, E13.36, E13.39, E13.40, E13.41, E13.42, E13.43, E13.44, E13.49, E13.51, E13.52, E13.59, E13.610, E13.618, E13.620, E13.621, E13.622, E13.628, E13.630, E13.638, E13.649, E13.65, E13.69, E13.8, E13.9, E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.9, E78.0, E78.1, E78.2, E78.3, E78.4, E78.5, I10, I11.0, I12.0, I12.9, I13.0, I13.10, I13.11, I13.2, I15.0, I15.1, I15.2, I15.8, I15.9, N26.2, R73.01, R73.02, R73.03, R73.09, R73.9, Z71.3, E09.622, E10.41, E10.51, E10.52, E10.59, I11.9, E08.3211, E08.3291, E08.3292, E08.3293, E08.3299, E08.3311, E08.3312, E08.3313, E08.3319, E08.3391, E08.3392, E08.3393, E08.3399, E08.3411, E08.3412, E08.3413, E08.3419, E08.3491, E08.3492, E08.3493, E08.3499, E08.3511, E08.3512, E08.3513, E08.3519, E08.3591, E08.3592, E08.3593, E08.3599, E08.622, E09.3211, E09.3212,	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		E09.3213, E09.3219, E09.3291, E09.3292, E09.3293, E09.3299, E09.3311, E09.3312, E09.3313, E09.3319, E09.3391, E09.3392, E09.3393, E09.3399, E09.3411, E09.3412, E09.3413, E09.3419, E09.3491, E09.3492, E09.3493, E09.3499, E09.3511, E09.3512, E09.3513, E09.3519, E09.3591, E09.3592, E09.3593, E09.3599, E10.3211, E10.3212, E10.3213, E10.3219, E10.3291, E10.3292, E10.3293, E10.3299, E10.3311, E10.3312, E10.3313, E10.3319, E10.3391, E10.3392, E10.3393, E10.3399, E10.3411, E10.3412, E10.3413, E10.3419, E10.3491, E10.3492, E10.3493, E10.3499, E10.3511, E10.3512, E10.3513, E10.3519, E10.3591, E10.3592, E10.3593, E10.3599, E11.3211, E11.3212, E11.3213, E11.3219, E11.3291, E11.3292, E11.3293, E11.3299, E11.3311, E11.3312, E11.3313, E11.3319,	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
	G0446, G0473	E11.3391, E11.3392, E11.3393, E11.3399, E11.3411, E11.3412, E11.3413, E11.3419, E11.3491, E11.3492, E11.3493, E11.3499, E11.3511, E11.3512, E11.3513, E11.3519, E11.3591, E11.3592, E11.3593, E11.3599, E13.3211, E13.3212, E13.3213, E13.3219, E13.3291, E13.3292, E13.3293, E13.3299, E13.3311, E13.3312, E13.3313, E13.3319, E13.3391, E13.3392, E13.3393, E13.3399, E13.3411, E13.3412, E13.3413, E13.3419, E13.3491, E13.3492, E13.3493, E13.3499, E13.3511, E13.3512, E13.3513, E13.3519, E13.3591, E13.3592, E13.3593, E13.3599, E78.00, E78.01, E78.41, E78.49, E88.89, E88.9, E88.810, E88.811 E88.818, E88.819 R03.0, R73.03	Payable as preventive regardless of medical diagnosis code.

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Gonorrhea, Prophylactic Medication, Newborns	Inclusive to the Preventive Office Visit.		The USPSTF recommends prophylactic ocular topical medication for all newborns to prevent gonococcal ophthalmia neonatorum. (January 2019)
Hepatitis B Virus Infection Screening: Pregnant women at first prenatal visit	87340, 87341	Payable as preventive with any pregnancy or maternity diagnosis.	The USPSTF recommends screening for hepatitis B virus (HBV) infection in pregnant women at their first prenatal visit. (July 2019)
High Blood Pressure Screening, Adults	Inclusive to the Preventive Office Visit.		The USPSTF recommends screening for high blood pressure in adults aged 18 years or older. The USPSTF recommends obtaining measurements outside of the clinical setting for diagnostic confirmation before starting treatment. (October 2015)
Iron Deficiency Anemia in Young Children, Prevention	85013, 85014, 85018	Z00.110, Z00.111, Z00.121, Z00.129, Z13.0, Z76.2	Bright Futures: Iron Deficiency Anemia in Young Children: Screening This recommendation for preventive pediatric health care is supported by the Bright Futures initiative, supported by the American Academy of Pediatrics and HRSA.
Iron Deficiency Anemia in Pregnant Women, Screening	85013, 85014, 85018,	O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.211, O09.212, O09.213, O09.219, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31,	The USPSTF concludes that the current evidence is insufficient to assess the balance of benefits and harms of screening for iron deficiency anemia in pregnant women to prevent adverse maternal

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, O36.80X0, O36.80X1, O36.80X2, O36.80X3, O36.80X4, O36.80X5, O36.80X9, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, O09.A0, O09.A1, O09.A2, O09.A3, O30.001, O30.002, O30.003, O30.009, O30.011, O30.012, O30.013, O30.019, O30.021, O30.022, O30.023, O30.029, O30.031, O30.032, O30.033, O30.039, O30.041, O30.042, O30.043, O30.049, O30.091, O30.092, O30.093, O30.099, O30.101, O30.102, O30.103, O30.109, O30.111, O30.112,	health and birth outcomes. (September 2015)

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		O30.113, O30.119, O30.121, O30.122, O30.123, O30.129, O30.191, O30.192, O30.193, O30.199, O30.201, O30.202, O30.203, O30.209, O30.211, O30.212, O30.213, O30.219, O30.221, O30.222, O30.223, O30.229, O30.291, O30.292, O30.293, O30.299, O30.801, O30.802, O30.803, O30.809, O30.811, O30.812, O30.813, O30.819, O30.821, O30.822, O30.823, O30.829, O30.891, O30.892, O30.893, O30.899, O30.90, O30.91, O30.92, O30.93, O30.131, O30.132, O30.133, O30.139, O30.231, O30.232, O30.233, O30.239, O30.831, O30.832, O30.833, O30.839	
Major Depressive Disorder/ Depression in Children and Adolescents: Screening	96160, 96161 96127 G0444	Z00.121, Z00.129, Z13.31 Z13.31, R45.851 If G0444 is submitted: Payable as preventive regardless of medical diagnosis code.	The USPSTF recommends depression and suicide risk screening in children and adolescents. This recommendation applies to children and adolescents 18 years or younger who do not have a diagnosed depression disorder and who are not showing recognized signs or symptoms of depression. The USPSTF continues to

Commercial Preventive Care Services			
Topic	Procedure codes	Diagnosis codes	Comment
			recommend screening for MDD in adolescents aged 12 to 18 years.
Obesity Screening, Adults	G0447, G0473 96156, 96158, 96159, 97802, 97803, 97804, S9470 99401, 99402, 99403, 99404	Payable as preventive regardless of medical diagnosis code. E66.01, E66.09, E66.1, E66.8, E66.9, Z68.1, Z68.20, Z68.21, Z68.22, Z68.23, Z68.24, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45 Payable as preventive regardless of medical diagnosis code.	The USPSTF recommends that clinicians offer or refer adults with a body mass index (BMI) of 30 or higher (calculated as weight in kilograms divided by height in meters squared) to intensive, multicomponent behavioral interventions. (September 2018)
Rh(D) Incompatibility, Screening	86900, 86850, 86901	O09.40, O09.41, O09.42, O09.43, O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.211, O09.212, O09.213, O09.219, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523,	The USPSTF strongly recommends Rh(D) blood typing and antibody testing for all pregnant women during their first visit for pregnancy-related care. The USPSTF recommends repeated Rh(D) antibody testing for all unsensitized Rh(D)-negative women at 24 to 28 weeks' gestation, unless the

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, O36.80X0, O36.80X1, O36.80X2, O36.80X3, O36.80X4, O36.80X5, O36.80X9, Z00.121, Z00.129, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, Z36.0, Z36.1, Z36.2, Z36.3, Z36.4, Z36.5, Z36.81, Z36.82, Z36.83, Z36.84, Z36.85, Z36.86, Z36.87, Z36.88, Z36.89, Z36.8A, Z36.9, O09.A0, O09.A1, O09.A2, O09.A3, O30.001, O30.002, O30.003, O30.009, O30.011, O30.012, O30.013, O30.019, O30.021, O30.022, O30.023, O30.029, O30.031, O30.032, O30.033, O30.039, O30.041, O30.042, O30.043, O30.049, O30.091, O30.092, O30.093, O30.099, O30.101, O30.102, O30.103, O30.109, O30.111,	biological father is known to be Rh(D)-negative. (February 2004)

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		O30.112, O30.113, O30.119, O30.121, O30.122, O30.123, O30.129, O30.191, O30.192, O30.193, O30.199, O30.201, O30.202, O30.203, O30.209, O30.211, O30.212, O30.213, O30.219, O30.221, O30.222, O30.223, O30.229, O30.291, O30.292, O30.293, O30.299, O30.801, O30.802, O30.803, O30.809, O30.811, O30.812, O30.813, O30.819, O30.821, O30.822, O30.823, O30.829, O30.891, O30.892, O30.893, O30.899, O30.90, O30.91, O30.92, O30.93	
Sexually Transmitted Infections, Counseling	99401, 99402, 99403, 99404, 99411, 99412, G0445	Payable as preventive regardless of medical diagnosis code.	<p>The USPSTF recommends intensive behavioral counseling for all sexually active adolescents and for adults who are at increased risk for sexually transmitted infections (STIs). (September 2014)</p> <p>The Women’s Preventive Services Initiative recommends directed behavioral counseling by a health care provider or other appropriately trained individual for sexually active adolescent and adult women at an increased risk for sexually</p>

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
			<p>transmitted infections (STIs). The Women’s Preventive Services Initiative recommends that health care providers use a woman’s sexual history and risk factors to help identify those at an increased risk of STIs. Risk factors may include age younger than 25, a recent history of an STI, a new sex partner, multiple partners, a partner with concurrent partners, a partner with an STI, and a lack of or inconsistent condom use. For adolescents and women not identified as high risk, counseling to reduce the risk of STIs should be considered, as determined by clinical judgement. (December 2016)</p>
<p>Sickle Cell Disease, Screening: Newborns</p>	<p>83020, 83021, 85660, S3850</p>	<p>Z00.110, Z00.111</p>	<p>Bright Futures: Sickle Cell Disease, Screening: Newborns The Advisory Committee on Heritable Disorders in Newborns and Children (Committee) recommends that every newborn screening program include a Uniform Screening Panel that screens for 35 core disorders and 26 secondary disorders; they based the disorders' selection on the Newborn Screening: Towards a Uniform Screening Panel and System.</p>
<p>Preventive Pediatric</p>	<p>99381, 99382,</p>	<p>Payable as preventive</p>	<p>HRSA recommendation for</p>

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Health Care	99383, 99384, 99385, 99391, 99392, 99393, 99394, 99395, 99461, G0438, G0439	regardless of medical diagnosis code.	<p>Preventive Pediatric Health Care based on age (newborn to 21 years): If a child comes under care for the first time at any point on the schedule, or if any items are not accomplished at the suggested age, the schedule should be brought up to date at the earliest possible time.</p> <p>Bright Futures Recommendation for Preventive Pediatric Health Care based on age (newborn to 21 years)</p>
Sensory Screening, Hearing	<p>92551, 92651, V5008</p> <p>92552, 92567</p> <p>92587, 92588</p> <p>92558, 92650,</p>	<p>Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z01.10, Z01.110, Z01.118, Z13.5</p> <p>Z00.121, Z00.129</p> <p>Z00.110, Z00.111, P09.6 Z00.121, Z00.129</p> <p>Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z01.10, Z01.110,</p>	Bright Futures

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Procedures	82139, 84510, 83498, 83519, 83520, 83789, 84030, 84436, 84437, 84443, 82127, 82570, 82726, 84035, 81329 82247, 88720 36406, 36416 S3620	 Z13.228 Z00.110, Z00.111, Z00.121, Z00.129 Payable as preventive regardless of medical diagnosis code.	should be done according to state law. Results should be reviewed at visits and appropriate retesting, or referral done as needed.
Physical Exam Procedures, Immunizations	90460, 90461, 90471, 90472, 90473, 90474, 90620, 90621, 90623, 90630, 90632, 90633, 90634, 90636, 90644, 90647, 90648, 90649, 90650, 90651, 90654, 90655, 90656, 90657, 90658, 90660, 90661, 90662, 90664, 90666, 90667, 90668,	Payable as preventive regardless of medical diagnosis code.	Advisory Committee on Immunization Practices (ACIP) as recommendations adopted by the Director of the Center for Disease Control and Prevention (CDC)

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
	90670, 90680, 90681, 90682, 90686, 90697, 90698, 90671, 90677 90700, 90702, 90710, 90713, 90714, 90715, 90716, 90723, 90733, 90734, 90740, 90743, 90744, 90746, 90747, 90748, 90739, 90756, 90759, G1941, G1942, G0008, G0009, G0010, Q2035, Q2036, Q2037, Q2038		
Physical Examination Procedures – Hematocrit or Hemoglobin	85013, 85014, 83021 85018	Z00.121, Z00.129, Z00.121, Z00.129, Z13.0,	
Physical Examination Procedures – Lead Screening	83655	Z00.121, Z00.129, Z13.88, Z77.011	Bright Futures: This recommendation for preventive pediatric health care is supported by the Bright Futures initiative, supported by the American Academy of Pediatrics and HRSA.
Latent Tuberculosis Infection, Screening	86480, 86481, 86580	Z00.00, Z00.01, Z00.121, Z00.129, Z11.1, Z11.7, R76.11, R76.12, Z20.1	The USPSTF recommends screening for latent tuberculosis infection (LTBI) in populations at increased risk.

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Dyslipidemia Screening	80061, 82465, 83718, 84478, 83721, 83700, 83704, 83695, 83698, 83719, 83722	Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z13.220	Bright Futures /HRSA confirmed that screening for dyslipidemia should occur once between 9 and 11 years of age, and once between 17 and 21 years of age. (February 2017)
STI Screening	86701, 86703, 87490, 87491, 87590, 87810, 87850 86780, 87797, 87510, 86694, 86695, 86696, 87511, 87512, 86628, 87480, 87481, 87660, 87661, 87528, 87529, 87798, 87110, 87270, 87320, 87389, 87490, 87491, 87492, 87534, 87535, 87592, 86592, 86593, 86689, 86702, 87390, 87391, 86631, 86632, S3645	Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z11.3, Z11.4, Z11.8, Z11.59 Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z11.3, Z11.4, Z11.59	AAP/Bright Futures: All sexually active patients should be screened for sexually transmitted infections (STI's). Bright Futures recommends screening all sexually active youth for gonorrhea and chlamydia annually. For high-risk teens, also screen for syphilis and HIV at least once a year. For high-risk teens, STI testing, especially for chlamydia, may be done as often as every 3 to 6 months. High-risk teens include, but are not limited to, STI clinic patients, youth in detention centers, men who have sex with men, and injection drug users. Other STIs should be screened for only if a patient is symptomatic. For instance, if a patient has a genital ulcer, then add a herpes culture to the evaluation. If a patient has cervicitis, then conduct additional testing for

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
	G0432 G0433 G0435 G0475	Payable as preventive regardless of medical diagnosis code.	trichomoniasis. Kaiser Foundation Health Plan of Washington and Kaiser Foundation Health Plan of Washington Options, Inc.
Cervical Cancer, Screening / Cervical Dysplasia Screening	87623, 87624, 87625, G0476, 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88155, 88164, 88165, 88166, 88167, 88174, 88175, 0500T	Z00.00, Z00.01, Z01.411, Z01.419, Z11.51, Z12.4, Z90.711, O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.211, O09.212, O09.213, O09.219, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, O36.80X0, O36.80X1, O36.80X2, O36.80X3, O36.80X4, O36.80X5, O36.80X9, O09.A0, O09.A1, O09.A2,	The USPSTF recommends screening for cervical cancer every 3 years with cervical cytology alone in women aged 21 to 29 years. For women aged 30 to 65 years, the USPSTF recommends screening every 3 years with cervical cytology alone, every 5 years with high-risk human papillomavirus (hrHPV) testing alone, or every 5 years with hrHPV testing in combination with cytology (cotesting). Released Date: August 2018 Recommendation: A HRSA Update to Recommendation: The Women's Preventive Services Initiative recommends cervical cancer screening for average-risk women aged 21 to 65 years. For women aged 21 to 29 years, the Women's Preventive Services Initiative recommends cervical cancer screening using cervical cytology (Pap test) every 3 years. Cotesting with cytology

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		O09.A3, O30.001, O30.002, O30.003, O30.009, O30.011, O30.012, O30.013, O30.019, O30.021, O30.022, O30.023, O30.029, O30.031, O30.032, O30.033, O30.039, O30.041, O30.042, O30.043, O30.049, O30.091, O30.092, O30.093, O30.099, O30.101, O30.102, O30.103, O30.109, O30.111, O30.112, O30.113, O30.119, O30.121, O30.122, O30.123, O30.129, O30.191, O30.192, O30.193, O30.199, O30.201, O30.202, O30.203, O30.209, O30.211, O30.212, O30.213, O30.219, O30.221, O30.222, O30.223, O30.229, O30.291, O30.292, O30.293, O30.299, O30.801, O30.802, O30.803, O30.809, O30.811, O30.812, O30.813, O30.819, O30.821, O30.822, O30.823, O30.829, O30.891, O30.892, O30.893, O30.899, O30.90, O30.91, O30.92, O30.93, O30.131, O30.132, O30.133, O30.139, O30.231, O30.232, O30.233, O30.239, O30.831, O30.832, O30.833,	and human papillomavirus testing is not recommended for women younger than 30 years. Women aged 30 to 65 years should be screened with cytology and human papillomavirus testing every 5 years or cytology alone every 3 years. Women who are at average risk should not be screened more than once every 3 years. Release Date: December 20, 2016 Effective Date: December 20, 2017

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
	P3000, P3001, Q0091, 3015F, G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148	O30.839 Payable as preventive regardless of medical diagnosis code.	
Well Woman Exam	99383, 99384, 99385, 99386, 99387, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, S0610, S0612, S0613, 59430 81000, 81001, 81002, 81003, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99417, G2212, 59425, 59426	Payable as preventive regardless of medical diagnosis code. O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.211, O09.212, O09.213, O09.219, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619,	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
	<p>99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99417, G2212</p>	<p>O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, O09.A0, O09.A1, O09.A2, O09.A3, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93</p> <p>Z39.2</p>	
Immunization, Hepatitis B	90740, 90743, 90744, 90746, 90747, 90748	Payable as preventive regardless of medical diagnosis code.	
Immunization, Rotavirus	90680, 90681	Payable as preventive regardless of medical diagnosis code.	
Immunization, Diphtheria, Tetanus, Pertussis	90644, 90696, 90698, 90700, 90701, 90702, 90703, 90719, 90720, 90721, 90723, 90714, 90715, 90718	Payable as preventive regardless of medical diagnosis code.	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Immunization, Hemophilus Influenzae Type B4	90644, 90645, 90646, 90647, 90648, 90698, 90720, 90721	Payable as preventive regardless of medical diagnosis code.	
Immunization, Pneumococcal	90669, 90670, 90732	Payable as preventive regardless of medical diagnosis code.	
Immunization, Inactive Poliovirus	90696, 90698, 90713	Payable as preventive regardless of medical diagnosis code.	
Immunization, Influenza	90630, 90654, 90655, 90656, 90657, 90658, 90660, 90661, 90662, 90664, 90666, 90667, 90668, 90673, 90674, 90682, Q2033, Q2034, Q2035, Q2036, Q2037, Q2038, 90653, 90672, 90685, 90686, 90756, 90687, 90688, 90689, 90694	Payable as preventive regardless of medical diagnosis code.	
Immunization, Measles, Mumps, Rubella (MMR)	90704, 90705, 90706, 90707, 90708, 90710	Payable as preventive regardless of medical diagnosis code.	
Immunization, Varicella	90710, 90716	Payable as preventive regardless of medical diagnosis code.	
Immunization, Hepatitis A	90632, 90633, 90634, 90636	Payable as preventive regardless of medical diagnosis code.	
Immunization, Meningococcal	90619, 90644, 90620, 90621, 90734, 90733	Payable as preventive regardless of medical diagnosis code.	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Immunization, HPV	90649, 90650, 90651	Payable as preventive regardless of medical diagnosis code.	
Immunization, Zoster	90736, 90750	Payable as preventive regardless of medical diagnosis code.	Committee on Immunization Practices (ACIP) as recommendations adopted by the Director of the Center for Disease Control and Prevention (CDC) Kaiser Foundation Health Plan of Washington and Kaiser Foundation Health Plan of Washington Options, Inc.
Immunization, Respiratory Syncytial Virus (RSV) Administration	90678, 90679, 90380, 90381 96380, 96381	Payable as preventive regardless of medical diagnosis code.	Committee on Immunization Practices (ACIP) as recommendations adopted by the Director of the Center for Disease Control and Prevention (CDC)
Immunization, Covid - 19	90480, 91318, 91319, 91320 91321, 91322	Payable as preventive regardless of medical diagnosis code.	Committee on Immunization Practices (ACIP) as recommendations adopted by the Director of the Center for Disease Control and Prevention (CDC) Kaiser Foundation Health Plan of Washington and Kaiser Foundation Health Plan of Washington Options, Inc.
Immunization, Bacillus Calmette-Guerin (BCG)	90585	Payable as preventive regardless of medical diagnosis code.	Committee on Immunization Practices (ACIP) as recommendations adopted by the Director of the Center for Disease Control and Prevention (CDC)

Commercial Preventive Care Services			
Topic	Procedure codes	Diagnosis codes	Comment
			Kaiser Foundation Health Plan of Washington and Kaiser Foundation Health Plan of Washington Options, Inc.
Obesity in Children, Screening	96156, 96158, 96159, 97802, 97803, 97804 G0473, G0477	E66.01, E66.09, E66.1, E66.8, E66.9 Payable as preventive regardless of medical diagnosis code.	The U.S. Preventive Services Task Force (USPSTF) also continues to recommend that clinicians screen for obesity in children and adolescents 6 years and older and offer or refer them to comprehensive, intensive behavioral interventions to promote improvements in weight status. (June 2017)
Breast Cancer: Medication Use to Reduce Risk (Chemoprevention of Breast Cancer)	For ACA Preventive Medications, click this link and scroll down to header "Preventive medications and preferred contraceptives".		Medication Use to Reduce Risk: the USPSTF recommends that clinicians offer to prescribe risk-reducing medications, such as tamoxifen, raloxifene, or aromatase inhibitors, to women who are at increased risk for breast cancer and at low risk for adverse medication effects.
Related services:	99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99417, 99241, 99242, 99243, 99244, 99245, G2212	Billed with modifier 33 or the following: Z71.89, Z76.89	The UPSTF recommends that clinicians discuss chemoprevention with women at high risk for breast cancer and at low risk for adverse effects of chemoprevention.

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
	<p>99385, 99386, 99387, 99395, 99396, 99397, 99401, 99402, 99403, 99404</p> <p>S0187</p>	<p>Payable as preventive regardless of medical diagnosis code.</p> <p>Billed with the following: Z29.86</p>	
<p>Screening for Diabetes in Pregnancy/ Gestational Diabetes, Screening</p>	<p>82947, 82948, 82950, 82951, 82952, 83036</p>	<p>Payable as preventive with any pregnancy or maternity diagnosis.</p>	<p>USPSTF: The USPSTF recommends screening for gestational diabetes in asymptomatic pregnant persons at 24 weeks of gestation or after.</p> <p>HRSA and WPSI recommends screening pregnant women for gestational diabetes mellitus after 24 weeks of gestation (preferably between 24 and 28 weeks of gestation) to prevent adverse birth outcomes. WPSI recommends screening pregnant women with risk factors for type 2 diabetes or GDM before 24 weeks of gestation—ideally at the first prenatal visit.</p>
<p>Hypertensive Disorders of Pregnancy: Screening</p>		<p>Payable as preventive with any pregnancy or maternity diagnosis.</p>	<p>USPSTF recommends screening for hypertensive disorders in pregnant persons with blood pressure measurements throughout pregnancy.</p>

Commercial Preventive Care Services			
Topic	Procedure codes	Diagnosis codes	Comment
			Release Date: September 2023 Formerly known as; Preeclampsia: Screening
Contraceptive Methods and Counseling	11981, 11982, 11983	If 11981, 11982, 11983 is submitted: Z30.017, Z30.40, Z30.46, Z30.49, Z30.018, Z30.019, Z30.09, Z30.8, Z30.9	HRSA/ Women’s Preventive Services Initiative (WPSI): Effective 01/01/2023, male and female condoms and spermicide is covered to be in compliance with the FDA Birth Control Guidelines.
	99417 G2122	If 99417 and G2122 is submitted: T83.32XA, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.2, Z30.40, Z30.41, Z30.42, Z30.430, Z30.431, Z30.432, Z30.433, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z98.51,	
	11976, 57170, A4261, A4266, J7304, J7306, J7307, S4993, 58605, 58611, 99383, 99386, 99393, 99396, 99401, 99402, 99403, 99404,	If 11976, 57170, A4261, A4266, J7304, J7306, J7307, S4993, 58605, 99383 is submitted: Payable as preventive regardless of medical diagnosis code.	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
	58300, 58301, S4981, S4989, J7300, J7301	If 58300, 58301, S4981, S4989, J7300, J7301 is submitted: Z30.430, Z30.431, Z30.432, Z30.433, Z01.411, Z01.419	
	96372, J1050	If 96372, J1050 is submitted: Z30.012, Z30.013, Z30.014, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.40, Z30.42, Z30.46, Z30.49, Z30.8, Z30.9,	
	J7296, J7297, J7298,	If J7296, J7297, J7298 is submitted: Z30.014, Z30.430, Z30.431, Z30.432, Z30.433, Z01.411, Z01.419,	
	58340, 74740,	If 58340, 74740 is submitted: Z30.2, Z30.42, Z30.49, Z30.8, Z30.9, Z98.51	
	58565, 58615, 58670, 58671	If 58565, 58615, 58670, 58671, is submitted: Z30.2, Z30.49, Z30.8, Z30.9,	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Pregnancy lab tests in combination with encounter for contraceptive management	58600, 58661, 58700, A4264, 00851, 00952, 00940, 00950	If 58600, 58661, 58700, A4264, 00851, 00952, 00940 and 00950 is submitted: Z30.2	
	99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215,	If 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215 is submitted: Z30.011, Z30.013, Z30.014, Z30.017, Z30.018, Z30.019, Z30.012, Z30.02, Z30.09, Z30.2, Z30.9, Z30.430, Z30.432, Z30.433, Z30.40, Z30.41, Z30.431, Z30.42, Z30.46, Z30.49, Z30.8, Z98.51	
	81025, 84702	If 81025 and 84702 is submitted: Z30.011, Z30.012 Z30.013, Z30.014 Z30.015, Z30.016 Z30.017, Z30.018 Z30.019, Z30.430 Z30.8, Z30.9, Z30.40, Z30.40, Z30.42	
Transvaginal Ultrasound	76830	If 76830 is submitted: Z30.011, Z30.013, Z30.014, Z30.017, Z30.018, Z30.019, Z30.02,	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Mobile Application	99384, 99385, 99394, 99395, J7294, J7295	Z30.09, Z30.2, Z30.40, Z30.41, Z30.42, Z30.430, Z30.431, Z30.432, Z30.433, Z30.46, Z30.49, Z30.8, Z30.9, Z98.51	
	A4267, A4268, A4269	Payable as preventive regardless of medical diagnosis code.	
	99199	Z30.8	Kaiser Foundation Health Plan of Washington and Kaiser Foundation Health Plan of Washington Options, Inc.:
	A9293	A9293 billed with: Payable as preventive regardless of medical diagnosis code.	FDA-approved/cleared contraceptive mobile medical apps are Natural Cycles and Clue Plus. If a provider prescribes an FDA-approved/cleared contraceptive mobile application as medically indicated, members will pay out of pocket and may submit for reimbursement.
Breastfeeding	98960, 98961, 98962, 99202, 99203, 99204, 99205, 99211,	Q91.02, O91.03, O91.13, O91.22, O92.23, O92.02, O92.03, O92.12, O92.13, O92.29, O92.3, O92.4,	HRSA: The Women's Preventive Services Initiative recommends comprehensive lactation support services (including

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Breastfeeding Services and Supplies	99212, 99213, 99214, 99215, 99354, 99355, 99417, G2212	O92.5, O92.79, Z39.1	<p>counseling, education, and breastfeeding equipment and supplies) during the antenatal, perinatal, and the postpartum period to ensure the successful initiation and maintenance of breastfeeding.</p> <p>The USPSTF recommends interventions during pregnancy and after birth to promote and support breastfeeding.</p>
	99393, 99394, 99395, 99396, 99401, 99402, 99403, 99404	Payable as preventive regardless of medical diagnosis code.	
	99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99350, G0318	If 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350 and G0318 is submitted: Z39.1	
	S9443, E0602, E0603	If S9443, E0602, E0603: Payable as preventive regardless of medical diagnosis code.	
	A4281, A4282, A4283, A4284, A4285, A4286, A9900	O91.02, O91.03, O91.13, O91.22, O91.23, O92.02, O92.03, O92.12, O92.13 O92.29, O92.3, O92.4, O92.5, O92.79, Z39.1	
A4287	A4287 Payable as preventive regardless of medical diagnosis code.		
Prenatal Care	99202, 99203, 99204, 99205,	O09.00, O09.01, O09.02, O09.03, O09.10, O09.11,	Well woman preventive care visits annually for adult women

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
	99211, 99212, 99213, 99214, 99215, 59425, 59426, 81000, 81001, 81002, 81003, 0501F, 0502F, 0503F	O09.12, O09.13, O09.211, O09.212, O09.213, O09.219, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, O26.20, O26.21, O26.22, O26.23, O30.001, O30.002, O30.003, O30.009, O30.011, O30.012, O30.013, O30.031, O30.032, O30.033, O30.041, O30.042, O30.043, O30.091, O30.092, O30.093, O30.101, O30.102, O30.103, O30.109, O30.111, O30.112, O30.113, O30.121, O30.122, O30.123, O30.191, O30.192, O30.193, O30.201, O30.202, O30.203, O30.209, O30.211, O30.212, O30.213,	to obtain the recommended preventive services that are age and developmentally appropriate, including preconception and prenatal care.

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		O30.221, O30.222, O30.223, O30.291, O30.292, O30.293, O30.299, O30.801, O30.802, O30.803, O30.809, O30.811, O30.812, O30.813, O30.821, O30.822, O30.823, O30.891, O30.892, O30.893, O30.899, O30.90, O30.91, O30.92, O30.93, O31.8X10, O31.8X11, O31.8X12, O31.8X13, O31.8X14, O31.8X15, O31.8X19, O31.8X20, O31.8X21, O31.8X22, O31.8X23, O31.8X24, O31.8X25, O31.8X29, O31.8X30, O31.8X31, O31.8X32, O31.8X33, O31.8X34, O31.8X35, O31.8X39, O34.218 O34.21, O34.22, O34.29, O34.40, O34.41, O34.42, O34.43, O34.60, O34.61, O34.62, O34.63, O34.70, O34.71, O34.72, O34.73, O34.80, O34.81, O34.82, O34.83, O34.91, O34.92, O34.93, O36.80X0, O36.80X1, O36.80X2 O36.80X3, O36.80X4, O36.80X5, O36.80X9, O48.0, O48.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91 Z34.92, Z34.93, O30.019, O30.039, O30.049, O30.099, O30.119, O30.129, O30.199 O30.219, O30.229,	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
	99417 G2122	<p>O30.819, O30.829, O34.211, O34.212, O34.219, O30.131, O30.132, O30.133, O30.139, O30.231, O30.232, O30.233, O30.239, O30.831, O30.832, O30.833, O30.839</p> <p>If 99417 and G2122 is submitted:</p> <p>O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.211, O09.212, O09.213, O09.219, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, O26.20, O26.21, O26.22, O26.23, O30.001, O30.002, O30.003, O30.009,</p>	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		O30.011, O30.012, O30.013, O30.031, O30.032, O30.033, O30.041, O30.042, O30.043, O30.091, O30.092, O30.093, O30.101, O30.102, O30.103, O30.109, O30.111, O30.112, O30.113, O30.121, O30.122, O30.123, O30.131, O30.132, O30.133, O30.139, O30.191, O30.192, O30.193, O30.201, O30.202, O30.203, O30.209, O30.211, O30.212, O30.213, O30.221, O30.222, O30.223, O30.231, O30.232, O30.233, O30.239, O30.291, O30.292, O30.293, O30.299, O30.801, O30.802, O30.803, O30.809, O30.811, O30.812, O30.813, O30.821, O30.822, O30.823, O30.831, O30.832, O30.833, O30.839, O30.891, O30.892, O30.893, O30.899, O30.90, O30.91, O30.92, O30.93, O31.8X10 O31.8X11, O31.8X12, O31.8X13, O31.8X14, O31.8X15, O31.8X19, O31.8X20, O31.8X21, O31.8X22, O31.8X23, O31.8X24, O31.8X25 O31.8X29, O31.8X30, O31.8X31, O31.8X32, O31.8X33, O31.8X34,	

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		O31.8X35, O31.8X39, O34.21, O34.29, O34.40, O34.41, O34.42, O34.43, O34.60, O34.61, O34.62, O34.63, O34.70, O34.71, O34.72, O34.73, O34.80, O34.81, O34.82, O34.83, O34.91, O34.92, O34.93, O36.80X0, O36.80X1, O36.80X2, O36.80X3, O36.80X4, O36.80X5, O36.80X9, O48.0, O48.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90 Z34.91, Z34.92, Z34.93, Z36.0, Z36.1, Z36.2, Z36.3, Z36.4, Z36.5, Z36.81, Z36.82, Z36.83, Z36.84, Z36.85, Z36.86, Z36.87, Z36.88, Z36.89, Z36.8A, Z36.9	
Screening and Counseling for Interpersonal and Domestic Violence	Inclusive of Annual Well Woman Visit		The USPSTF recommends that clinicians screen for intimate partner violence (IPV) in women of reproductive age and provide or refer women who screen positive to ongoing support services.
Hepatitis C Screening	86803, 87521	Z00.00, Z00.01, Z01.411, Z01.419, Z11.4, Z11.59, Z00.121, Z00.129, Z72.89, O08.82, O08.83, O08.89 , O08.9, O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.211, O09.212, O09.213, O09.219, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32,	The USPSTF recommends screening for hepatitis C virus (HCV) infection in adults age 18 to 79 years. The USPSTF recommends screening for Hepatitis C virus (HCV) infection in persons at high risk for infection The USPSTF also recommends

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
	<p align="center">G0472</p> <p align="center">86804, 87520</p>	<p>O09.33, O09.40 , O09.41, O09.42 , O09.43 , , O09.511, O09.512 , O09.513, O09.519, O09.521, O09.522, O09.523, O09.529 , O09.611, O09.612, O09.613, O09.619 , O09.621 , O09.622, O09.623, O09.629 , O09.70, O09.71, O09.72 , O09.73, O09.811, O09.812, O09.813 , O09.819 , O09.821 , O09.822 , O09.823, O09.829 , O09.891, O09.892 , O09.893 , O09.899 , O09.90, O09.91, O09.92, O09.93, Z01.89, Z11.3, Z11.8, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80 , Z34.81, Z34.82, Z34.83, Z34.90, Z34.91 , Z34.92 , Z34.93, O09.A0, O09.A1, O09.A2, O09.A3, Z20.5</p> <p>If G0472 submitted: Payable as preventive regardless of diagnosis</p> <p>Z11.59, Z20.5</p>	<p>offering 1-time screening for HCV infection to adults born between 1945 and 1965.</p>
Education and Brief Counseling to Prevent Initiation of Tobacco Use	Inclusive of Pediatric Preventive Office Visit.		The USPSTF recommends that primary care clinicians provide interventions, including education or brief counseling,

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
			to prevent initiation of tobacco use among school-aged children and adolescents. (August 2013)
Lung Cancer Screening	71271, G0296	Payable as preventive regardless of medical diagnosis code.	<p>The USPSTF recommends annual screening for lung cancer with low-dose computed tomography (LDCT) in adults aged 55 to 80 years who have a 30 pack-year smoking history and currently smoke or have quit within the past 15 years. Screening should be discontinued once a person has not smoked for 15 years or develops a health problem that substantially limits life expectancy or the ability or willingness to have curative lung surgery.</p> <p>Effective 03/09/2021, USPSTF recommends annual screening for lung cancer with low-dose computed tomography (LDCT) in adults aged 50 to 80 years who have a 20 pack-year smoking history and currently smoke or have quit within the past 15 years. Screening should be discontinued once a person has not smoked for 15 years or develops a health problem that substantially limits life expectancy or the ability or willingness to have curative lung surgery.</p>

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Prevention of Fall in Community-Dwelling Older Adults	97161, 97162, 97163, 97164, 97116, 97110, 97150, 97112, 97530	R29.6, R54, Z91.81	<p>The USPSTF recommends exercise interventions to prevent falls in community-dwelling adults 65 years or older who are at increased risk for falls.</p> <p>The USPSTF recommends exercise or physical therapy and vitamin D supplementation to prevent falls in community-dwelling adults aged 65 years or older who are at increased risk for falls.</p>
Screening for Hepatitis B Virus Infection in Non-Pregnant Adolescents and Adults	87340, 87341, 86704, 86705, 86706, 86707, 87350, G0499	Z00.00, Z00.01, Z01.411, Z01.419, Z11.3, Z11.59, Z20.5, Z20.6, Z57.8	<p>Bright Futures: Assessing risk for HBV infection has been added to occur from newborn to 21 years (to account for the range in which the risk assessment can take place) to be consistent with recommendations of the USPSTF and the 2021–2024 edition of the AAP Red Book: Report of the Committee on Infectious Diseases.</p> <p>The USPSTF recommends screening for hepatitis B virus infection in persons at high risk for infection. (May 2014)</p>
Prevention of Dental Cavities in Children from Birth Through	D1206, 99188	Payable as preventive regardless of medical diagnosis code.	The USPSTF recommends that primary care clinicians apply fluoride varnish to the primary

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Age 5 Years Old Dental Caries, Preschool Children		Inclusive to the Preventive Office Visit.	<p>teeth of all infants and children starting at the age of primary tooth eruption. Once teeth are present, apply fluoride varnish to all children every 3 to 6 months in the primary care or dental office based on caries risk.</p> <p>BRIGHT FUTURES: This recommendation for preventive pediatric health care is supported by the Bright Futures initiative, supported by the American Academy of Pediatrics and HRSA.</p> <p>Oral Health - Referral to dental home, if available. Otherwise, administer oral health risk assessment. If the primary water source is deficient in fluoride, consider oral fluoride supplementation.</p>
Folic Acid for the Prevention of Neural Tube Defects: Preventive Medication	For ACA Preventive Medications, click this link and scroll down to header “Preventive medications and preferred contraceptives”.	Payable as preventive regardless of medical diagnosis code.	The USPSTF recommends that all persons planning to or who could become pregnant take a daily supplement containing 0.4 to 0.8 mg (400 to 800 mcg) of folic acid.
Low-Dose Aspirin Use for the Prevention of	For ACA Preventive	Payable as preventive regardless of medical	The USPSTF recommends the use of low-dose aspirin (81

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Morbidity and Mortality from Preeclampsia	Medications, click this link and scroll down to header “Preventive medications and preferred contraceptives”.	diagnosis code.	mg/day) as preventive medication after 12 weeks of gestation in persons who are at high risk for preeclampsia.
Statin Use for the Primary Prevention of Cardiovascular Disease in Adults Statin Use related services	For ACA Preventive Medications, click this link and scroll down to header “Preventive medications and preferred contraceptives”. 80061, 82465, 83718, 84478, 83721, 83722, 83700, 83704, 83695, 83698	Payable as preventive regardless of medical diagnosis code. V70.0, V72.31, V72.60, V72.61, V77.91, Z13.6	
Prevention of Human Immunodeficiency Virus (HIV) Infection: Preexposure Prophylaxis	For ACA Preventive Medications, click this link and scroll down to header “Preventive medications and preferred contraceptives”.		The USPSTF recommends that clinicians prescribe preexposure prophylaxis using effective antiretroviral therapy to persons who are at increased risk of HIV acquisition to decrease the risk of acquiring HIV Effective 07/01/2020, for all plans, except Federal.

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
Injection	<p>J0739, G0012, J0750, J0751, J0799</p> <p>96372</p>	<p>Payable as preventive regardless of medical diagnosis code.</p> <p>Z11.3, Z11.4, Z20.2, Z20.5 Z20.6, Z29.81, Z71.7, Z72.51, Z72.52, Z72.53, Z77.21</p>	<p>Federal plan members are covered in full, effective 01/01/2021.</p>
<p>Preexposure Prophylaxis (PrEP); laboratory services</p>	<p>81003, 81025, 82565, 82575, 84460, 84702, 84703, 86689, 86701, 86702, 86703, 86704, 86705, 86706, 86780, 86592, 86593, 86631, 86632, 86803, G0499, 87110, 87270, 87320, 87340, 87341, 87389, 87390, 87391, 87517, 87534, 87535, 87536, 87537, 87538, 87539, 87490, 87491, 87492, 87521, 87590, 87591, 87592, 87810, 87850</p> <p>G0432, G0433, G0435</p>	<p>Z11.3, Z11.4, Z20.2, Z20.5, Z20.6, Z29.81, Z71.7, Z72.51, Z72.52, Z72.53, Z77.21</p> <p>Payable as preventive regardless of medical diagnosis code.</p>	<p>The USPSTF recommends that clinicians offer preexposure prophylaxis (PrEP) with effective antiretroviral therapy to persons who are at high risk of HIV acquisition.</p> <p>Effective 07/19/2021, a combination of baseline and monitoring services, consistent with the Centers for Disease Control and Prevention (CDC) are covered under the U.S. Preventive Services Task Force (USPSTF) released an “A” rating recommendation, regarding Preexposure Prophylaxis (PrEP).</p>

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
<p>Preexposure Prophylaxis (PrEP); Initiation and monitoring</p>	<p>99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99417, G2211, G2212</p> <p>99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, , 99417, G2211, G2212</p> <p>99401, 99402 99403, 99404 99411, 99412, G0011, G0013</p>	<p>Z11.4, Z20.5, Z20.6, Z29.81, Z71.7, Z72.51, Z72.52, Z72.53, Z77.21</p> <p>Billed with modifier 33 and the following: Z11.3, Z20.2</p> <p>Payable as preventive regardless of medical diagnosis code.</p>	
<p>Preexposure Prophylaxis (PrEP); Venipuncture</p>	<p>36415, 36416</p>	<p>Z11.3, Z11.4, Z20.2, Z20.5, Z20.6, Z29.81, Z71.7, Z72.51, Z72.52, Z72.53,</p>	<p>Kaiser Foundation Health Plan of Washington and Kaiser</p>

Commercial Preventive Care Services

Topic	Procedure codes	Diagnosis codes	Comment
		Z77.21	Foundation Health Plan of Washington Options, Inc.
Skin Cancer Counseling	Inclusive to Preventive Office Visit.		The USPSTF recommends counseling young adults, adolescents, children, and parents of young children about minimizing exposure to ultraviolet (UV) radiation for persons aged 6 months to 24 years with fair skin types to reduce their risk of skin cancer.
Preeclampsia Screening	Inclusive to Preventive Office Visit.		The USPSTF recommends screening for preeclampsia in pregnant women with blood pressure measurements throughout pregnancy.
Screening for Diabetes Mellitus after Pregnancy	82947, 82948, 82950, 82951, 82952, 83036	Z39.0, Z39.2, Z86.32	HRSA/WPSI recommends screening for type 2 diabetes in women with a history of gestational diabetes mellitus (GDM) who are not currently pregnant and who have not previously been diagnosed with type 2 diabetes. (December 2022)
Screening for Urinary Incontinence	Inclusive of Annual Well Woman Visit.		The Women's Preventive Services Initiative recommends screening women for urinary incontinence annually. December 2023
Perinatal Depression	96127, 97129, 97130, 96160, 96161, 97179,	Z13.32	The USPSTF recommends that clinicians provide or refer pregnant and postpartum persons who are at increased

Commercial Preventive Care Services			
Topic	Procedure codes	Diagnosis codes	Comment
	99395, 99396	Payable as preventive regardless of medical diagnosis code.	
Preventive Medicine Counseling	99401, 99402, 99403, 99404, 99411, 99412	Z28.3, Z28.82, Z71.3, Z71.82, Z71.89, Z71.9	Bright Future
Behavior Change Interventions	99406, 99407,	F10.10, F11.10, F12.10, F13.10, F13.90, F15.90, F16.90, Z71.41, Z71.51, Z71.6, Z87.891, Z91.89	Bright Future
Tuberculosis Testing & Test Reading	86580 99211 99212, 99213, 99214, 99215	Z00.00, Z00.01, Z00.121, Z00.129, Z11.1, Z11.7, R76.11, R76.12 Z20.1 Z11.1, R76.11 R76.11	Bright Future Tuberculosis Testing & Test Reading
Sexually Transmitted Infection and HIV Screening	86701, 86703, 87490, 87491, 87590, 87591, 87810, 87850	Z11.3, Z11.8	Bright Future

Commercial Preventive Care Services			
Topic	CPT	Diagnosis Codes	Comment
Screening for Retinopathy; Retinopathy screening for diabetes	92227, 92250, 92228, 92229	E10.37X1, E10.37X2, E10.37X3, E10.37X9, E10.39, E10.40, E10.41, E10.42, E10.43, E10.44, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620,	IRS EXPANDED PREVENTIVE SERVICES (EPS): Notice 2019-45 which expands the definition of preventive care and allows specified items and services.

Commercial Preventive Care Services

Topic	CPT	Diagnosis Codes	Comment
		E10.621, E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11.00, E11.01, E11.10, E11.11, E11.21, E11.22, E11.29, E11.311, E11.319, E11.3211, E11.3212, E11.3213, E11.3219, E11.3291, E11.3292, E11.3293, E11.3299, E11.3311, E11.3312, E11.3313, E11.3319, E11.3391, E11.3392, E11.3393, E11.3399, E11.3411, E11.3412, E11.3413, E11.3419, E11.3491, E11.3492, E11.3493, E11.3499, E11.3511, E11.3512, E11.3513, E11.3519, E11.3521, E11.3522, E11.3523, E11.3529, E11.3531, E11.3532, E11.3533, E11.3539, E11.3541, E11.3542, E11.3543, E11.3549, E11.3551, E11.3552, E11.3553, E11.3559, E11.3591, E11.3592, E11.3593, E11.3599, E11.36, E11.37X1, E11.37X2, E11.37X3, E11.37X9, E11.39, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.51, E11.52,	

Commercial Preventive Care Services

Topic	CPT	Diagnosis Codes	Comment
		E11.59, E11.610, E11.618, E11.620, E11.621, E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, E13.00, E13.01, E13.10, E13.11, E13.21, E13.22, E13.29, E13.311, E13.319, E13.3211, E13.3212, E13.3213, E13.3219, E13.3291, E13.3292, E13.3293, E13.3299, E13.3311, E13.3312, E13.3313, E13.3319, E13.3391, E13.3392, E13.3393, E13.3399, E13.3411, E13.3412, E13.3413, E13.3419, E13.3491, E13.3492, E13.3493, E13.3499, E13.3511, E13.3512, E13.3513, E13.3519, E13.3521, E13.3522, E13.3523, E13.3529, E13.3531, E13.3532, E13.3533, E13.3539, E13.3541, E13.3542, E13.3543, E13.3549, E13.3551, E13.3552, E13.3553, E13.3559, E13.3591, E13.3592, E13.3593, E13.3599, E13.36, E13.37X1, E13.37X2, E13.37X3, E13.37X9, E13.39, E13.40, E13.41,	

Commercial Preventive Care Services

Topic	CPT	Diagnosis Codes	Comment
		E13.42, E13.43, E13.44, E13.49, E13.51, E13.52, E13.59, E13.610, E13.618, E13.620, E13.621, E13.622, E13.628, E13.630, E13.638, E13.641, E13.649, E13.65, E13.69, E13.8, E13.9, O24.011, O24.012, O24.013, O24.019, O24.02, O24.03, O24.111, O24.112, O24.113, O24.119, O24.12, O24.13, O24.311, O24.312, O24.313, O24.319, O24.32, O24.33, O24.811, O24.812, O24.813, O24.819, O24.82, O24.83, O24.911, O24.912, O24.913, O24.919, O24.92, O24.93, P70.2	
A1C Testing; A1C testing for diabetes	83036	E10.3413, E10.3419, E10.3491, E10.3492, E10.3493, E10.3499, E10.3511, E10.3512, E10.3513, E10.3519, E10.3521, E10.3522, E10.3523, E10.3529, E10.3531, E10.3532, E10.3533, E10.3539, E10.3541, E10.3542, E10.3543, E10.3549, E10.3551, E10.3552, E10.3553, E10.3559, E10.3591, E10.3592,	IRS EXPANDED PREVENTIVE SERVICES (EPS): Notice 2019-45 which expands the definition of preventive care and allows specified items and services.

Commercial Preventive Care Services

Topic	CPT	Diagnosis Codes	Comment
		E10.3593, E10.3599, E10.36, E10.37X1, E10.37X2, E10.37X3, E10.37X9, E10.39, E10.40, E10.41, E10.42, E10.43, E10.44, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11.00, E11.01, E11.10, E11.11, E11.21, E11.22, E11.29, E11.311, E11.319, E11.3211, E11.3212, E11.3213, E11.3219, E11.3291, E11.3292, E11.3293, E11.3299, E11.3311, E11.3312, E11.3313, E11.3319, E11.3391, E11.3392, E11.3393, E11.3399, E11.3411, E11.3412, E11.3413, E11.3419, E11.3491, E11.3492, E11.3493, E11.3499, E11.3511, E11.3512, E11.3513, E11.3519, E11.3521, E11.3522, E11.3523, E11.3529, E11.3531, E11.3532, E11.3533, E11.3539, E11.3541, E11.3542, E11.3543, E11.3549, E11.3551, E11.3552,	

Commercial Preventive Care Services

Topic	CPT	Diagnosis Codes	Comment
		E11.3553, E11.3559, E11.3591, E11.3592, E11.3593, E11.3599, E11.36, E11.37X1, E11.37X2, E11.37X3, E11.37X9, E11.39, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620, E11.621, E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, E13.00, E13.01, E13.10, E13.11, E13.21, E13.22, E13.29, E13.311, E13.319, E13.3211, E13.3212, E13.3213, E13.3219, E13.3291, E13.3292, E13.3293, E13.3299, E13.3311, E13.3312, E13.3313, E13.3319, E13.3391, E13.3392, E13.3393, E13.3399, E13.3411, E13.3412, E13.3413, E13.3419, E13.3491, E13.3492, E13.3493, E13.3499, E13.3511, E13.3512, E13.3513, E13.3519, E13.3521, E13.3522, E13.3523, E13.3529, E13.3531, E13.3532, E13.3533, E13.3539, E13.3541, E13.3542,	

Commercial Preventive Care Services

Topic	CPT	Diagnosis Codes	Comment
		E13.3543, E13.3549, E13.3551, E13.3552, E13.3553, E13.3559, E13.3591, E13.3592, E13.3593, E13.3599, E13.36, E13.37X1, E13.37X2, E13.37X3, E13.37X9, E13.39, E13.40, E13.41, E13.42, E13.43, E13.44, E13.49, E13.51, E13.52, E13.59, E13.610, E13.618, E13.620, E13.621, E13.622, E13.628, E13.630, E13.638, E13.641, E13.649, E13.65, E13.69, E13.8, E13.9, O24.011, O24.012, O24.013, O24.019, O24.02, O24.03, O24.111, O24.112, O24.113, O24.119, O24.12, O24.13, O24.311, O24.312, O24.313, O24.319, O24.32, O24.33, O24.811, O24.812, O24.813, O24.819, O24.82, O24.83, O24.911, O24.912, O24.913, O24.919, O24.92, O24.93, P70.2	
International Normalized Ratio (INR) Testing INR testing for Liver Disease or Bleeding	85610 85611	K70.0, K70.10, K70.11, K70.2, K70.30, K70.31, K70.40, K70.41, K70.9, K71.0, K71.10, K71.11, K71.2, K71.3, K71.4,	IRS EXPANDED PREVENTIVE SERVICES (EPS): Notice 2019-45 which expands the definition of preventive care and allows specified items and services.

Commercial Preventive Care Services

Topic	CPT	Diagnosis Codes	Comment
Disorders		K71.50, K71.51, K71.6, K71.7, K71.8, K71.9, K72.00, K72.01, K72.10, K72.11, K72.90, K72.91, K73.0, K73.1, K73.2, K73.8, K73.9, K74.0, K74.1, K74.2, K74.3, K74.4, K74.5, K74.60, K74.69, K75.0, K75.1, K75.2, K75.3, K75.4, K75.81, K75.89, K75.9, K76.0, K76.1, K76.2, K76.3, K76.4, K76.5, K76.6, K76.7, K76.81, K76.89, K76.9, K77, D68.1, D68.2, D68.311, D68.312, D68.318, D68.32, D68.4, D68.61, D68.62, D68.69, D68.8, D68.9, D69.6, K76.82 D68.00, D68.01 D68.020, D68.021 D68.022, D68.023 D68.029, D68.03 D68.04, D68.09	
Low-density Lipoprotein (LDL) Testing LDL testing for heart disease	83695 83698 83700 83701 83704 83718 83719 83721 83722	I00, I01, I01.0, I01.1, I01.2, I01.8, I01.9, I02, I02.0, I02.9, I05, I05.0, I05.1, I05.2, I05.8, I05.9, I06, I06.0, I06.1, I06.2, I06.8, I06.9, I07, I07.0, I07.1, I07.2, I07.8, I07.9, I08, I08.0, I08.1, I08.2, I08.3, I08.8, I08.9, I09, I09.0, I09.1, I09.2, I09.8, I09.81, I09.89, I09.9, I10, I11, I11.0, I11.9,	IRS EXPANDED PREVENTIVE SERVICES (EPS): Notice 2019-45 which expands the definition of preventive care and allows specified items and services.

Commercial Preventive Care Services

Topic	CPT	Diagnosis Codes	Comment
		I12, I12.0, I12.9, I13, I13.0, I13.1, I13.10, I13.11, I13.2, I15, I15.0, I15.1, I15.2, I15.8, I15.9, I16, I16.0, I16.1, I16.9, I20, I20.0, I20.1, I20.9, I20.81, I20.89, I25, I25.1, I25.10, I25.11, I25.110, I25.111, I25.118, I25.119, I25.2, I25.3, I25.4, I25.41, I25.42, I25.5, I25.6, I25.7, I25.70, I25.700, I25.701, I25.708, I25.709, I25.71, I25.710, I25.711, I25.718, I25.719, I25.72, I25.720, I25.721, I25.728, I25.729, I25.73, I25.730, I25.731, I25.738, I25.739, I25.75, I25.750, I25.751, I25.758, I25.759, I25.76, I25.760, I25.761, I25.768, I25.769, I25.79, I25.790, I25.791, I25.798, I25.799, I25.8, I25.81, I25.85, I25.810, I25.811, I25.812, I25.82, I25.83, I25.84, I25.89, I25.9, I26, I26.0, I26.01, I26.02, I26.09, I26.9, I26.90, I26.92, I26.93, I26.94, I26.99,	

Commercial Preventive Care Services

Topic	CPT	Diagnosis Codes	Comment
		I27, I27.0, I27.1, I27.2, I27.20, I27.21, I27.22, I27.23, I27.24, I27.29, I27.8, I27.81, I27.82, I27.83, I27.89, I27.9, I28, I28.0, I28.1, I28.8, I28.9, I30, I30.0, I30.1, I30.8, I30.9, I31, I31.0, I31.1, I31.2, I31.4, I31.8, I31.9, I32, I33, I33.0, I33.9, I34, I34.0, I34.1, I34.2, I34.9, I35, I35.0, I35.1, I35.2, I35.8, I35.9, I36, I36.0, I36.1, I36.2, I36.8, I36.9, I37, I37.0, I37.1, I37.2, I37.8, I37.9, I38, I39, I40, I40.0, I40.1, I40.8, I40.9, I41, I42, I42.0, I42.1, I42.2, I42.3, I42.4, I42.5, I42.6, I42.7, I42.8, I42.9, I43, I44, I44.0, I44.1, I44.2, I44.3, I44.30, I44.39, I44.4, I44.5, I44.6, I44.60, I44.69, I44.7, I45, I45.0, I45.1, I45.10, I45.19, I45.2, I45.3, I45.4, I45.5, I45.6, I45.8, I45.81, I45.89, I45.9, I47, I47.0, I47.9, I47.10, I47.11, I47.19, I48, I48.0, I48.1, I48.11, I48.19, I48.2, I48.20, I48.21, I48.3, I48.4, I48.9, I48.91, I48.92, I49, I49.0, I49.01,	

Commercial Preventive Care Services

Topic	CPT	Diagnosis Codes	Comment
		I49.02, I49.1, I49.2, I49.3, I49.4, I49.40, I49.49, I49.5, I49.8, I49.9, I50, I50.1, I50.2, I50.20, I50.21, I50.22, I50.23, I50.3, I50.30, I50.31, I50.32, I50.33, I50.4, I50.40, I50.41, I50.42, I50.43, I50.8, I50.81, I50.810, I50.811, I50.812, I50.813, I50.814, I50.82, I50.83, I50.84, I50.89, I50.9, I51, I51.0, I51.1, I51.2, I51.3, I51.4, I51.5, I51.7, I51.8, I51.81, I51.89, I51.9, I52, I20.2 I25.112, I25.702 I25.712, I25.722 I25.732, I25.752, I25.762, I25.792, I31.31 I31.39, I34.81, I34.89 I47.20, I47.21, I47.29, I1A.0	
Prostate Cancer Screening	84152, 84153, 84154, G0102, G0103	Z00.00, Z00.01, Z12.5, Z80.42 Payable as preventive regardless of medical diagnosis code.	Prostate cancer is one of the most common types of cancer that affects men. Screening for prostate cancer begins with a test that measures the amount of prostate-specific antigen (PSA) protein in the blood. The goal of screening for prostate cancer is to identify high-risk, localized prostate cancer that can be successfully treated, thereby preventing the morbidity and mortality associated with advanced or metastatic

Commercial Preventive Care Services

Topic	CPT	Diagnosis Codes	Comment
			prostate cancer.
Risk Assessment for Sudden Cardiac Arrest and Sudden Cardiac Death	96160, 96161	Z13.6, Z82.42	Bright Futures: Assessing risk for sudden cardiac arrest and sudden cardiac death has been added to occur from 11 to 21 years (to account for the range in which the risk assessment can take place) to be consistent with AAP policy.
Collection of venous blood by venipuncture	36415	Applicable to any covered preventive services listed in this document that require venipuncture.	Kaiser Foundation Health Plan of Washington and Kaiser Foundation Health Plan of Washington Options, Inc.